



**Kelvin**


2700K – warm white, similar to incandescent bulb  
 3000K – soft white, similar to halogen bulb  
 4000K – bright white, similar to fluorescent lighting  
 5000K – daylight, very bright & similar to sunlight  
 6000K – cool white, blue tinted, like a monitor

**Beam Angle**

**LED CHIP**

**CREE** **BRIDGELUX** **PHILIPS**  
**OSRAM** **SAMSUNG**

**LED DRIVER**

**E LIGHT PLUS** **TRIDONIC** **PHILIPS**  
**OSRAM** **MW MEAN WELL**



This text is a standard disclaimer often found in product catalogs, brochures, or specification sheets. It informs customers that the company may update product specifications or materials at its discretion to improve the product, without prior notice, provided these changes do not affect its functionality. It also clarifies that the most up-to-date information is available on their website, which takes precedence over other sources.

If this is for inclusion in your materials, you might consider customizing it to match your company's policies or branding. Let me know if you'd like assistance tailoring it!


[www.lightplus.uk](http://www.lightplus.uk)


Serie LED Down Light is recessed down light with die-cast aluminium body, die-cast aluminium heat sink, solid springs and chrome reflector. COB high power LED chip provides perfect combination of high lighting efficiency, comfortable lighting and humanization design, made by high quality Aluminum profile. The item is very professional and it has all the characteristics to be involved in any kind of architectural or design project, it is designed for general lighting applications in office, supermarket, shop, school, hotel, etc. it is also widely used for public areas, such as stairway, lobby, reception.

**Description**

**Housing** - Die Cast Aluminum  
**Diffuser** - Tempered Glass Diffuser

**Reflector** - Aluminium Reflector

**Color Available** - White RAL 9010

**Lifespan** - >50,000 Hours (L90 B10)


**Voltage** - AC220~240V

**Working Temperature** - -25°C ~ +50°C

**IP Rating** - 54

**IK** - 08

Item Code	Power	Lamp	Lumen	Dimensions
LP-DL181712	12W	LED	1440lm	A84 x B52 x C75mm
LP-DL181718	18W	LED	2160lm	A100 x B64 x C90mm
LP-DL181724	24W	LED	2880lm	A126 x B70 x C115mm

**Photometrics**

**Technical Drawing**
